

## When Do Children Need Vaccinations?

<b>Age</b>	<b>Hep B<sup>1</sup></b>	<b>DTaP<sup>1</sup></b>	<b>Polio<sup>1</sup></b>	<b>MMR<sup>1</sup></b>	<b>Varicella<sup>1+2</sup></b> <i>(or parental signed statement with dates of disease)</i>	<b>PCV<sup>2</sup></b>	<b>Hib<sup>3</sup></b>	<b>Rota Virus<sup>3</sup></b>	<b>HepA<sup>3+4</sup></b>	<b>Flu<sup>3</sup></b> <i>(annually in fall for all over 6 months)</i>
<b>Birth</b>	X									
<b>1 mo</b>										
<b>2 mo</b>	X	X	X			X	X	X		
<b>4 mo</b>		X	X			X	X	X		
<b>6 mo</b>		X				X	X	X		X
<b>12-18 mo</b>	X	X (15-18 mo)	X	X (12-15 mo)	X	X (12-15 mo)	X (12-15 mo)		X 2 doses 6 mo apart.	X
<b>2-3 yr</b>										X
<b>4-6 yr</b>		X	X <i>(4<sup>th</sup> dose is recommended)</i>	X	X					X

*1- Required for Kindergarten and all child care types*

*2- Required for Centers, CCDF, VCP and Homes*

*3- Not required but highly recommended for children in child care*

*4- 2 doses required for Kindergarten entrance beginning 2014*